





Firings / AIP-Areas / Warnings:

Firing-Nr AIP-Area NOTAM-Nr	Validity UTC	Lower Limit (m/ft AMSL or FL)	Upper Limit (m/ft AMSL or FL)	Center Point	Covering Radius	NOTAM Item E
! 4002 ! W1776/22	0800 - 1000 1100 - 1300	GND	5000m / 16450ft	464240N 0082510E	3.9 KM / 2.1 NM	FRNG WILL TAKE PLACE AREA 2.9 KM SW SUSTENPASS, 464409N0082505E 464411N0082720E 464110N0082721E 464103N0082402E 464136N0082230E 464251N0082229E 464409N0082505E (464240N0082510E RADIUS 2.1 NM).
D-12 W1483/22	0600 - 1000 1100 - 2100	GND	1800m / 5950ft	470140N 0085126E	3.6 KM / 1.9 NM	D-AREA LS-D12 SIHLTAL ACT.
D-22 W1768/22	1245 - 1445	GND	1700m / 5500ft	463213N 0070418E	4.8 KM / 2.6 NM	D-AREA LS-D22 PETIT MONT ACT.
R-7 W1722/22	0530 - 2100	GND	4500m / 14800ft	462408N 0070145E	6.4 KM / 3.5 NM	R-AREA LS-R7 HONGRIN ACT DUE TO FRNG.
! R-9 ! W1778/22	0800 - 1900	GND	4500m / 14800ft	462943N 0090743E	4.7 KM / 2.6 NM	R-AREA LS-R9 HINTERRHEIN ACT DUE TO FRNG.
! R-14 ! W1767/22	0630 - 2100	GND	3800m / 12500ft	471401N 0091801E	2.9 KM / 1.6 NM	R-AREA LS-R14 SAENTIS ACT DUE TO FRNG.
R-39A W1757/22	0700 - 0900 1200 - 1400	2750m / 9000ft	FL130	465311N 0081435E	8.9 KM / 4.8 NM	R-AREA LS-R39A HEITLI ACT. LOWER LIMIT 9000FT AMSL OR 2000FT GND WHICHEVER IS HIGHER.
R-39B W1758/22	0700 - 0900 1200 - 1400	2750m / 9000ft	FL130	465352N 0082513E	10.1 KM / 5.4 NM	R-AREA LS-R39B BRISEN ACT. LOWER LIMIT 9000FT AMSL OR 2000FT GND WHICHEVER IS HIGHER.
R-39C W1759/22	0700 - 0900 1200 - 1400	2750m / 9000ft	FL130	465652N 0084033E	14.2 KM / 7.7 NM	R-AREA LS-R39C STOOS ACT. LOWER LIMIT 9000FT AMSL OR 2000FT GND WHICHEVER IS HIGHER.
! W1706/22	2130 - 2359	GND	FL195	473426N 0090252E	0.2 KM / 0.1 NM	TEMPO R-AREA ESTABLISHED AT AMLIKON AD, RADIUS 0.2 KM (473426N0090252E RADIUS 0.1 NM). WX MEASUREMENTS BY REMOTELY PILOTED AERIAL SYSTEM WILL TAKE PLACE. WHITE BLINKING PSN LGT WITH VISUAL RANGE OF AT LEAST 3 KM. FOR INFO CTC TEL +41 79 893 93 31.
! W1707/22	2000 - 2359	GND	FL100	464845N 0065639E	0.6 KM / 0.3 NM	TEMPO D-AREA ACT 4.1 KM SSE PAYERNE AD, RADIUS 0.6 KM (464845N0065639E RADIUS 0.3 NM). WX MEASUREMENTS BY REMOTELY PILOTED AERIAL SYSTEM, WHITE BLINKING PSN LGT WITH VISUAL RANGE OF AT LEAST 3KM. FOR INFO CTC TEL +41 79 893 93 31.

Activities not shown on the DABS Chart Side:

NOTAM-Nr	Validity UTC	Lower Limit (m/ft AMSL or FL)	Upper Limit (m/ft AMSL or FL)	Center Point	Covering Radius	NOTAM Item E
None						



For detailed information regarding the DABS see AIP Switzerland GEN 3.1-5 or VFR GEN 1-0-4.
! New or changed data regarding an earlier version of the DABS.