





Firings / AIP-Areas / Warnings:

Firing-Nr AIP-Area NOTAM-Nr	Validity UTC	Lower Limit (m/ft AMSL or FL)	Upper Limit (m/ft AMSL or FL)	Center Point	Covering Radius	NOTAM Item E
D-12 W1483/22	0600 - 1000 1100 - 2100	GND	1800m / 5950ft	470140N 0085126E	3.6 KM / 1.9 NM	D-AREA LS-D12 SIHLTAL ACT.
R-3 W1859/22	1145 - 1225 1340 - 1420	FL100	FL130	471047N 0091932E	24.3 KM / 13.1 NM	R-AREA LS-R3 SPEER ACT.
R-7 W1633/22	0800 - 2100	GND	4500m / 14800ft	462408N 0070145E	6.4 KM / 3.5 NM	R-AREA LS-R7 HONGRIN ACT DUE TO FRNG.
R-9 W1839/22	0600 - 2100	GND	4500m / 14800ft	462943N 0090743E	4.7 KM / 2.6 NM	R-AREA LS-R9 HINTERRHEIN ACT DUE TO FRNG.
R-13 W2789/21	0630 - 1500	1850m / 6000ft	FL130	464346N 0075832E	23.1 KM / 12.5 NM	R-AREA LS-R13 AXALP ACT.
R-39A W1852/22	0800 - 1000 1200 - 1400	2750m / 9000ft	FL130	465311N 0081435E	8.9 KM / 4.8 NM	R-AREA LS-R39A HEITLI ACT. LOWER LIMIT 9000FT AMSL OR 2000FT GND WHICHEVER IS HIGHER.
R-39B W1853/22	0800 - 1000 1200 - 1400	2750m / 9000ft	FL130	465352N 0082513E	10.1 KM / 5.4 NM	R-AREA LS-R39B BRISEN ACT. LOWER LIMIT 9000FT AMSL OR 2000FT GND WHICHEVER IS HIGHER.
R-39C W1854/22	0800 - 1000 1200 - 1400	2750m / 9000ft	FL130	465652N 0084033E	14.2 KM / 7.7 NM	R-AREA LS-R39C STOOS ACT. LOWER LIMIT 9000FT AMSL OR 2000FT GND WHICHEVER IS HIGHER.
W1674/22	0000 - 2359	GND	2300m / 7600ft	462225N 0070017E	0.5 KM / 0.3 NM	HIGHLINE OBST ERECTED 3.9 KM NNW HLP LEYSIN, BTN TOUR D AI AND TOUR DE MAYEN, RADIUS 0.5 KM (462225N0070017E RADIUS 0.3 NM). MARKED WITH 6 WINDSOCKS. MAX ALT UP TO 174 M AGL / 571 FT AGL, 2312 M AMSL / 7585 FT AMSL.
W1841/22	2130 - 2359	GND	FL195	473426N 0090252E	0.2 KM / 0.1 NM	TEMPO R-AREA ESTABLISHED AT AMLIKON AD, RADIUS 0.2 KM (473426N0090252E RADIUS 0.1 NM). WX MEASUREMENTS BY REMOTELY PILOTED AERIAL SYSTEM WILL TAKE PLACE. WHITE BLINKING PSN LGT WITH VISUAL RANGE OF AT LEAST 3 KM. FOR INFO CTC TEL +41 79 893 93 31.
W1843/22	2000 - 2359	GND	FL100	464845N 0065639E	0.6 KM / 0.3 NM	TEMPO D-AREA ACT 4.1 KM SSE PAYERNE AD, RADIUS 0.6 KM (464845N0065639E RADIUS 0.3 NM). WX MEASUREMENTS BY REMOTELY PILOTED AERIAL SYSTEM, WHITE BLINKING PSN LGT WITH VISUAL RANGE OF AT LEAST 3KM. FOR INFO CTC TEL +41 79 893 93 31.

Activities not shown on the DABS Chart Side:

NOTAM-Nr	Validity UTC	Lower Limit (m/ft AMSL or FL)	Upper Limit (m/ft AMSL or FL)	Center Point	Covering Radius	NOTAM Item E
None						



For detailed information regarding the DABS see AIP Switzerland GEN 3.1-5 or VFR GEN 1-0-4.