





## Firings / AIP-Areas / Warnings:

Firing-Nr AIP-Area NOTAM-Nr	Validity UTC	Lower Limit (m/ft AMSL or FL)	Upper Limit (m/ft AMSL or FL)	Center Point	Covering Radius	NOTAM Item E
LSD12 W1362/24	0600 - 1000 1100 - 2100	GND	3000m / 9850ft	470140N 0085126E	3.6 KM / 2.0 NM	D-AREA LSD12 SIHTAL ACT.
LSR3 W2135/24	0645 - 0725 1345 - 1425	FL100	FL130	471047N 0091932E	24.4 KM / 13.2 NM	R-AREA LSR3 SPEER ACT.
LSR6 W2134/24	0645 - 1000 1130 - 1430	1850m / 6000ft	FL130	464400N 0080322E	13.3 KM / 7.2 NM	R-AREA LSR6 AXALP ACT.
LSR7 W2100/24	0530 - 2100	GND	4700m / 15500ft	462408N 0070145E	6.5 KM / 3.5 NM	R-AREA LSR7 HONGRIN ACT DUE TO FRNG.
LSR11 W1792/24	0600 - 1500 1700 - 1930	GND	9600m / 31500ft	464054N 0095706E	8.9 KM / 4.8 NM	R-AREA LSR11 S-CHANF ACT.
LSR11A W1794/24	0600 - 1500 1700 - 1930	2150m / 7000ft	9600m / 31500ft	463605N 0095959E	8.3 KM / 4.5 NM	R-AREA LSR11A S-CHANF ACT.
LSR12 W2117/24	0700 - 2000	GND	6850m / 22500ft	461121N 0080238E	8.7 KM / 4.7 NM	R-AREA LSR12 SIMPLON ACT DUE TO FRNG.
LSR57 W2105/24	0600 - 1000 1100 - 1600	GND	2000m / 6500ft	465122N 0092930E	1.3 KM / 0.7 NM	R-AREA LSR57 ROSSBODEN-RHEINSAND ACT DUE TO FRNG.
W1912/24	0000 - 0300 2130 - 2359	GND	FL195	473426N 0090252E	0.3 KM / 0.2 NM	TEMPO R-AREA ESTABLISHED AT AMLIKON AD, RADIUS 0.2 KM (473426N0090252E RADIUS 0.2 NM). WX MEASUREMENTS BY REMOTELY PILOTED AERIAL SYSTEM WILL TAKE PLACE. WHITE BLINKING PSN LGT WITH VISUAL RANGE OF AT LEAST 3 KM. ENTRY PROHIBITED WHEN ACT EXC HEL EMERG MEDICAL SER (HEMS). FOR INFO ON ACT AND HEMS CTC TEL +41 79 893 93 31 / +41 79 772 93 32 / +41 79 596 93 33
W2073/24	1145 - 1430 1745 - 1830	GND	1850m / 6000ft	464450N 0092032E	12.3 KM / 6.6 NM	TEMPO D-AREA BONADUZ ESTABLISHED WI AREA: 464720N0091140E 465040N0092500E 464120N0092840E 464040N0092500E 464640N0092240E 464420N0091300E 464720N0091140E (464450N0092032E RADIUS 6.6 NM), DUE TO MIL AERIAL TARGET FLT.
W2129/24	0000 - 0400 2000 - 2359	GND	3400m / 11200ft	471010N 0090224E	0.6 KM / 0.4 NM	TEMPO D-AREA ESTABLISHED AT SCHAEINIS AD, RADIUS 0.6 KM (471010N0090224E RADIUS 0.4 NM). WX MEASUREMENTS BY REMOTELY PILOTED AERIAL SYSTEM TAKING PLACE. WHITE BLINKING POSITION LGT WITH VISUAL RANGE OF AT LEAST 3 KM. FOR INFO CTC TEL +41 79 893 93 31 / +41 79 772 93 32 / +41 79 596 93 33.



Activities not shown on the DABS Chart Side:

NOTAM-Nr	Validity UTC	Lower Limit (m/ft AMSL or FL)	Upper Limit (m/ft AMSL or FL)	Center Point	Covering Radius	NOTAM Item E
None						

For detailed information regarding the DABS see AIP Switzerland GEN 3.1-5 or VFR GEN 1-0-4.